

STYCCOBOND F48

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Provide good ventilation. Do not use in confined spaces without adequate ventilation and/or respirator. Avoid contact with skin and eyes. Observe good industrial hygiene practices. Do not eat, drink or smoke when using the product.

STORAGE PRECAUTIONS

Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store in closed original container at temperatures between 5°C and 30°C. Protect from freezing and direct sunlight.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES

Provide adequate ventilation.

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. Nitrile gloves to BSEN374 are recommended. Break through times can vary depending on thickness, use and source. Change gloves regularly.

EYE PROTECTION

If there is a risk of splashing, wear chemical resistant goggles or visor approved to BS EN166.

HYGIENE MEASURES

Good personal hygiene practices should be followed when working with chemicals.

PERSONAL PROTECTION

Always check applicability with your supplier of protective equipment.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Viscous Emulsion		
COLOUR	Off - white		
ODOUR	Typical acrylic		
RELATIVE DENSITY	1.24 @20degC	VOLATILE BY VOL. (%)	30% approx w/w
VISCOSITY	1100-1200 Ps @20degC	FLASH POINT (°C)	N/A

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid frost. Avoid exposure to high temperatures or direct sunlight.

11 TOXICOLOGICAL INFORMATION

INHALATION

May cause some discomfort in poorly ventilated areas.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

Prolonged contact may cause redness and irritation. Skin irritation is not anticipated when used normally.

EYE CONTACT

May cause irritation, soreness and reddening of the eyes

12 ECOLOGICAL INFORMATION

ECOTOXICITY

There are no data on the ecotoxicity of this product.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Small quantities may be absorbed in sand and allowed to dry, prior to disposal as low hazard waste. Larger quantities should be disposed of as controlled liquid waste via a licensed waste operator.

STYCCOBOND F48

WASTE CLASS

Waste Code for Product : 080410

14 TRANSPORT INFORMATION

GENERAL The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
No transport warning sign required.

ADR CLASS Not classified for transportation. MARINE POLLUTANT No.

15 REGULATORY INFORMATION

RISK PHRASES NC Not classified.

SAFETY PHRASES P13 Safety data sheet available for professional user on request.

16 OTHER INFORMATION

GENERAL INFORMATION
F.Ball and Company Ltd Technical Datasheet.

REVISION COMMENTS
Section 1 : Removal of emergency phone number.

REVISION DATE 06/01/10
REV. NO./REPL. SDS GENERATED 3

RISK PHRASES IN FULL
R22 Harmful if swallowed.
R36 Irritating to eyes.